

High-density 4U switch hot-selling model in stock



Overview

The NC8400-4TH switch supports a maximum of 128x 40G/100G, or 64x 40/100G with 16x 400G high-density ports through flexible line cards combinations of NC8400-32C and NC8400-16CD. It's optimal for spine deployments in large data centers, HPC, service providers and cloud providers. Built on the groundbreaking NVIDIA Quantum-3 ASIC, this network switch delivers an industry-leading 115.2 Tb/s aggregate throughput through 144 non-blocking. SSI EEB (12" x 13"), ATX (12" x 9.5" HDD hot swap module, front / left / right * Option: 2 Bay 2.5" access hot-swap HDDs, CRPS, and E-ATX motherboard support for data storage and high-performance applications. The Cisco Nexus 5696Q is a high-density, wire-rate, Layer 2 and Layer 3 switch. These switches provide modular expansion slots for increased scalability, providing investment protection for future.

Article Content

Cisco Nexus C5696Q N5K-C5696Q 4U Switch Chassis

The Cisco Nexus 5696Q is a high-density, wire-rate, Layer 2 and Layer 3 switch. It offers Virtual Extensible LAN (VXLAN) support with 10, 40, and 100 Gigabit

Huawei 4U DISK ENCLOSURE Price

The Best Huawei Products Price List Checking Tool ICT-Router, Switch, Optical Transmission & Access Network

High Density 4U Rack Storage Server Case Fan Ready Stock

1.High-density storage capacity: The High Density 4U Rack Storage Server Case boasts 36 hot-swappable bays, providing ample space to accommodate a vast number of storage devices, making

Customized NS7440, 4U High-Density Server, 32 x

NS7440, 4U High-Density Server, 32 x 3.5"/2.5" Hot-swap SAS/SATA/NVMe Drive Bays, 8 x RJ45 1GbE Ports, 1200W Redundant The FS

Edgecore Unveils a High-density 400G Switch for Next

The DCS240 contains 32 x 400G ports, and 5+1 redundant, hot-swappable fan modules together with load-sharing, redundant 1300 Watt PSUs in

High-density Port Managed Switch

High-density Port Managed Switch, Achieve greater efficiency and speed with Layer 3 managed switches equipped with 10G uplink. Perfect for demanding environments where performance is key.

Chenbro 4U High-Density Storage Server Chassis Design With 24 X

Chenbro 4U High-Density Storage Server Chassis Design With 24 X 3.5 Access Hot-Swap Hdds, Crps, And E-Atx Motherboard Support For Data Storage And High-Performance Applications.

NSComm Switches for High-Density Networks in 2025

Discover how NSComm fast-ethernet switches sustain ultra-high throughput and rock-solid reliability in dense enterprise and data-center

4U | JBOD enclosure

In Win's High Density 4U JBOD storage chassis solutions optimized for enterprise level high capacity storage applications. All models feature high speed, low vibration and hot-swappable fans in

4U Data Center Chassis System

Modular, scalable, and Programmable 12.8 Tbps data center network switch and the line card module with up to 16-port QSFP28 (100 Gbps) SNI provides 100G and

NVIDIA Q3400-RA SN 2000 XDR 800Gb/s InfiniBand

Product Description NVIDIA Quantum-3 Q3400-RA XDR 800Gb/s InfiniBand Switch System The NVIDIA Q3400-RA is a high-performance, 4U rack-mounted

FS 4-Slot 4U Modular Chassis Switch for Data Center

FS NC8400-4TH 4U modular chassis switch has 4 slots for full line rate 100G line cards and comes with Broadcom TH3 BCM56980 chip to deliver high density and low latency for the next generation data

RM41824 CRPS

4U high-density storage server chassis design with 24 x 3.5" access hot-swap HDDs, CRPS, and E-ATX motherboard support for data storage and high-performance

128-Port 400G QSFP112 51.2T Ethernet 4U Switch with

N9570-128QC is a low-latency 400G RoCE 4U switch with 128x400G QSFP112 ports, SONiC OS, and NVIDIA Spectrum-4 switch chip, offering 51.2Tbps

128-Port 400G QSFP112 51.2T Ethernet 4U Switch with

As a Spine-layer switch, it utilizes its 128 x 400GbE ports to downlink to up to 128 Leaf-layer switches, ensuring ultra-high bandwidth and low-latency connectivity

Storage Server | 4U-Hyperscale Products | QCT

Working with the world's best-in-class datacenter customers, QCT continues exploring the most innovative and advanced cloud technology. QCT HYPERSCALE PRODUCTS. 1U/2U/4U general

Chenbro RM43736E3RPC 4U 36-Bay Tri-Load High

Ultra-dense 4U storage server chassis optimized for warm and cold data tiering Innovative Tri-load design for 24 x 3.5" side access and 12 x 3.5" front access hot

ESC8000 G4 | Servers & Workstations | ASUS East Africa

ESC8000 G4 features a powerful GPU architecture that supports up to eight high-performance NVIDIA® Quadro® or Tesla® GPU cards in a 4U chassis. With so much graphics power, ESC8000 G4 lets

4U 9GPU Rack Server Chassis 12 Bay Hot-Swap High Density AI

Drives Bay: 12*3.5" hot swap HDD bays, 2 x 2.5" hot-swappable system disk. PCIE channel: 10 * PCIE3.0X16, supports up to 9 public GPUs. Supplier highlights: This supplier mainly exports to Italy,

FatTwin® Servers: High-Density, Energy-Efficient

Highly configurable 4U, with 8 and 4 node systems available Front accessible service design for cold-aisle serviceability Hot-swappable drive bays - interchangeable

NVIDIA Q3400-RA SN 2000 XDR 800Gb/s InfiniBand

Official distributor of the NVIDIA Q3400-RA (SN 2000) 800Gb/s InfiniBand switch. 144 ports, 115.2 Tb/s throughput, Quantum-3 ASIC. In stock with full support.

44 Bay Chassis: Best High-Density Storage Solutions in 2026

Looking for the top 44 bay chassis for enterprise or homelab use? Discover expert-reviewed, high-density storage solutions with hot-swap bays and redundant power. Click to explore

NS7440 High-Density Server Datasheet | FS

The 4U four-node server is FS's platform for supporting Internet, cloud computing, high-performance computing (HPC), service providers, and large scale-out computing server farms.

NS7440 HIGH-DENSITY SERVER

NS7440 HIGH-DENSITY SERVER DATASHEET • Up to 4 half-width dual-socket server nodes and 32x 3.5-inch hot-swap hard drives in a single 4U chassis. • The 4U four-node server is FS's platform for

Google Translate

Google's service, offered free of charge, instantly translates words, phrases, and web pages between English and over 100 other languages.

IMPULSE High Grade 4U CCTV/DVR/NVR Cabinet

IMPULSE High Grade 4U CCTV/DVR/NVR Cabinet Box/DVR Rack Wall Mount with Lock/Network Rack/Server Rack with Power Socket - Cooling Fan - Adjustable

4U Rackmount Servers

4U rack servers with single-socket AMD or Intel CPUs, supporting up to 60 hot-swap HDDs, 16 DIMMs, and 2.5"/3.5" drives for scalable, reliable enterprise data center workloads.

Hua Wei Cloudengine S5755-H48UTM4X4Y2C

Hua Wei CloudEngine S5755-H48UTM4X4Y2C offers 36 Port GE, 12 Multi-GE, 4 10GE SFP+, 4 25GE, and 2 100GE Port Switch. Enjoy full-duplex, half-duplex, and stackable. | Alibaba

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://buglerdental.co.za>

Email: sales@buglerdental.co.za

Phone: +27 71 549 2836

Address: 22 Impala Crescent, Waterfall Business Estate, Midrand, 1685, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

